

Instruction Manual

Hand Truck



TROPL300ST2


SAFETY
SECTOR 

Product Overview




- ❶ Push-Handle Assembly
- ❷ Load-Bearing Platform
- ❸ Wheel

Product Accessories List



Upper Tray X1



Wheeled Tray X2



Push Handle X2



A X8



Pipe X4



B X4



C X4



D X4




Silver Threaded Tube X4

Product Installation

1. Take out all products and accessories after opening the package.



2. Screw the handles into the silver-coloured threaded sleeves.



3. Insert the handles with silver-coloured threaded sleeves into the corresponding positions of the upper tray.



4. Fit one A-Belleville washer, black outer tube and another A-Belleville washer in sequence.



5. Slide the wheeled tray into place.



6. Fit the B-large shim, D-lock washer and nut C onto the bottom of the wheeled tray to complete the installation.



LEGAL STATEMENT

This manual and its contents are protected under the Copyright Act 1968 (Cth). No part of this publication may be reproduced, distributed, modified, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of FRG Pty Ltd. Unauthorized use is strictly prohibited.

© 2026 FRG Pty Ltd. All rights reserved.

SAFETY **SECTOR**



<https://www.safetysector.com.au/>